

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	55	(edge near3 detect\$4) with (window kennel) with (specif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:41
L2	11	(edge near2 detect\$4) with (window kennel) with (user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:41
L3	49	(edge near2 detect\$4) with (window kennel) with (user operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:41
L4	43	382/141-152.ccls. and (edge near2 detect\$4) with (window kennel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:41
L5	4	382/141-152.ccls. and (window near4 (distance separat\$4) near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:41
L6	92	382/141-152.ccls. and (window near4 (distance separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:41
L7	13	382/205.ccls. and distance with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:42
L8	14	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (height) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:42
L9	32	348/86-95.ccls. and (window near4 (distance separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:42

L10	13	(SAEKI near KAZUHITO). inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/06 12:45
S1	2	"20040146201".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:19
S2	4141	382/141-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:48
S3	35	382/141-152.ccls. and (edge near2 detect\$4) with (window kennel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:50
S4	1350	(edge near2 detect\$4) with (window kennel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:50
S5	39	(edge near2 detect\$4) with (window kennel) with (user operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:16
S6	8	(edge near2 detect\$4) with (window kennel) with (user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 16:31
S7	1	sobel near2 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:25
S8	1	sobel near2 window near2 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 16:27
S9	40	(edge near3 detect\$4) with (window kennel) with (specif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:04

S10	2	"20040146201".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:01
S11	210	(edge near3 detect\$4) same (window kennel) same (specif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:03
S12	0	(edge near3 detect\$4) with (window kennel) with (user near3 specif \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:05
S13	5	(edge near3 detect\$4) same (window kennel) same (user near3 specif \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:21
S14	27650	window near3 (distance separat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:24
S15	10	window near3 (distance separat\$4) near3 (edge near3 detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:24
S16	10	window near3 (distance separat\$4) near3 ((edge near3 detect\$4) sobel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:55
S17	39677	edge near detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:55
S18	8346	edge near detect\$4 and (window kennel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:01
S19	260	382/141-152.ccls. and workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:02

S20	976	382/141-152.ccls. and window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:02
S21	63	382/141-152.ccls. and window near3 (distance separat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:13
S22	2029314	382/141-152.ccls. and window near4 (distance separat\$4) user4 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:13
S23	1250	382/141-152.ccls. and (window near4 (distance separat\$4) user4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:14
S24	77	382/141-152.ccls. and (window near4 (distance separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:14
S25	2	382/141-152.ccls. and (window near4 (distance separat\$4) near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:57
S26	1265	(window near4 (distance separat\$4) near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:58
S27	0	(window near4 (distance separat\$4) near4 user) same ((edge near detect \$4) sobel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:58
S28	16	(window near4 (distance separat\$4) near4 user) and ((edge near detect \$4) sobel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:59
S29	1265	(window near4 (distance separat\$4) near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:00

S30	793	(window near4 (distance separat\$4) near4 user) and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:00
S31	607	(window near3 (distance separat\$4) near3 user) and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:00
S32	374	(window near2 (distance separat\$4) near2 user) and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:01
S33	0	(window near2 (distance separat\$4) near2 user) and ((edge).ti. edge.ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:01
S34	5	((edge) near4 window near4 (distance separat \$4) near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:03
S35	4141	382/141-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:04
S36	149	382/141-152.ccls. and stripe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:04
S37	976	382/141-152.ccls. and window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:05
S38	168	382/205.ccls. and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:11
S39	12	382/205.ccls. and distance with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:15

S40	51	382/205.ccls. and position with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:17
S41	1	382/205.ccls. and position with window with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:17
S42	8	(edge near2 detect\$4) with (window kennel) with (user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 18:57
S43	2	"3597732".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 18:57
S44	7	("3142818" "3344399"). PN. OR ("3597732"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 19:06
S45	291	382/263.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 19:07
S46	106	382/263.ccls. and (window kernel)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 19:07
S47	106	382/263.ccls. and (window kernel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 19:09
S48	41	("20020131639" "3597732" "5343390" "5845007" "5875040" "5881171" "6021222" "6094508" "6173083" "6208763" "6229578" "6337925" "6404936" "6415053" "6421469" "6449391" "6453069" "6498660" "6707937"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 19:09
S49	1012	382/141-152.ccls. and window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:25
S50	4287	382/141-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:25

S51	35	382/141-152.ccls. and (edge near2 detect\$4) with (window kernel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:25
S52	12	382/205.ccls. and distance with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:25
S53	51	382/141-152.ccls. and (detect\$4) near2 edge and workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:01
S54	12	382/205.ccls. and distance with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 16:30
S55	55	382/141-152.ccls. and (detect\$4) near2 edge and workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 13:33
S56	84	382/141-152.ccls. and (window near4 (distance separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 13:34
S57	12	382/205.ccls. and distance with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 13:34
S58	12	382/205.ccls. and distance with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 13:34
S59	78	382/260,263,266.ccls. and (kernel window) near5 (inside internal overlap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 13:41
S60	78	382/260,263,266.ccls. and (window kernel) near5 (overlap\$4 inside internal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:29

S61	807	382/260,263,266.ccls. and (window kernel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:30
S62	194	382/260,263,266.ccls. and (window kernel) near5 set\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:30
S63	174	382/260,263,266.ccls. and (window kernel) near5 set\$4 and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:30
S64	141	382/260,263,266.ccls. and (window kernel) near5 set\$4 and edge not S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:30
S65	78	382/260,263,266.ccls. and (window kernel) near5 (overlap\$4 inside internal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 09:54
S66	141	382/260,263,266.ccls. and (window kernel) near5 set\$4 and edge not S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 09:54
S67	78	382/260,263,266.ccls. and (window kernel) near5 (overlap\$4 inside internal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 14:55
S68	141	382/260,263,266.ccls. and (window kernel) near5 set\$4 and edge not S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 14:55
S69	14	("4410278" "4642813" "4947323" "5003615" "5081689" "5189710" "5574800" "5734739" "5737441" "5969273" "5974169" "6094508"). PN. OR ("6621928"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 17:01
S70	107	keyence.as.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 17:04
S71	39	keyence.as. and edge	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 17:05

S72	341	"382"/\$.ccls. and (window kernel) near5 (set setting) and edge near3 (window kernel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 17:11
S73	305	"382"/\$.ccls. and (window kernel) near5 (set setting) and edge near3 (window kernel) not S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 17:12
S74	105	"382"/\$.ccls. and (window kernel) near5 (set setting) and edge near3 (window kernel) and (window kernel) near5 (overlap\$4 inside internal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 17:12
S75	2	"20040136588".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 22:50
S76	9	(edge near2 detect\$4) with (window kernel) with (user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:19
S77	5005	"382"/\$.ccls. and (kernel window) near3 (equal "same" length width size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:20
S78	472	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (length width size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:49
S79	332	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (length width size) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:49
S80	337	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (length width size height) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:52
S81	11	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (height) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:52

S82	69	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (length width) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 00:05
S83	288	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (size) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 01:02
S84	222	"382"/\$.ccls. and (kernel window) near3 (height) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 01:15
S85	52	"382"/\$.ccls. and (kernel window) near3 (height) same edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 01:17
S86	74	(kernel window) near3 (equal "same") near3 (height) and edge and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:04
S87	74	(kernel window) near3 (equal "same") near3 (height) and edge and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 12:42
S88	222	"382"/\$.ccls. and (kernel window) near3 (height) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 12:52
S89	180	"382"/\$.ccls. and (kernel window) same (height) same edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 12:53
S90	4	("6021222" "5475766"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 13:33
S91	290	"382"/\$.ccls. and (operator user) near3 (select set\$4 assign\$4 choos\$3) near3 (window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:35

S92	39	"382"/\$.ccls. and (operator user) with (select set\$4 assign\$4 choos\$3) with (window with (distance between displac\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:41
S93	151	"382"/\$.ccls. and (operator user) near3 (select set\$4 assign\$4 choos\$3) near3 (window kernel) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:41
S94	1	"382"/\$.ccls. and (operator user) near3 (select set\$4 assign\$4 choos\$3) near3 (window kernel) near3 (distance between space separat\$3 displac\$5) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:45
S95	3	"382"/\$.ccls. and (operator user) near3 (select set\$4 assign\$4 choos\$3) near3 (window kernel) with (distance between space separat\$3 displac\$5) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:46
S96	2588	keyence.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:50
S97	107	keyence.as. and window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:50
S98	151	"382"/\$.ccls. and (operator user) near3 (select set\$4 assign\$4 choos\$3) near3 (window kernel) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:08
S99	2	"382"/\$.ccls. and (operator user) near5 (select set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:34
S100	8	"382"/\$.ccls. and (operator user) near5 (select set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:38

S101	25	"382"/\$.ccls. and (operator user) near5 (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:40
S102	66	alex near liew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:43
S103	62	382/254-275.ccls. and window near3 (distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:52
S104	1	382/254-275.ccls. and (user operator person individual) near3 window near3 (distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:52
S105	5	"382"/254-275.ccls. and (operator user) near5 (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:14
S106	0	"382"/\$.ccls. and classfier and edge and populate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:16
S107	0	"382"/\$.ccls. and classfier and edge and population	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:17
S108	0	"382"/\$.ccls. and classfier and edge and populat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:17
S109	3	"382"/\$.ccls. and classf\$7 and edge and populat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:19

S110	2	"20040146201".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:23
S111	103	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:24
S112	980	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:25
S113	146	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5 length height width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:25
S114	4	"382"/124-127.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5 length height width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:28
S115	367	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (filter window kernel) near5 (distance between space separat\$3 displac\$5 length height width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:29
S116	33	"382"/\$.ccls. and (operator user) with (select set\$4 assign\$4 choos\$3) with (filter) with (distance between displac \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:30
S117	4	("6021222" "5475766"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:37

S118	83	"382"/\$.ccls. and (user operator) near3 (window filter) near3 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:40
S119	492	"382"/\$.ccls. and plurality near3 (window) and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:45
S120	54	"382"/254-275.ccls. and plurality near3 (window) and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:45
S121	7	"382"/254-275.ccls. and plurality near3 (window) same user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:45
S122	26	"382"/254-275.ccls. and edge near3 (detect\$4 calculat\$4 comput\$4) same (window) same (user operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:47
S123	0	(user operatr) near3 (adjust\$4) near3 (distance) near3 window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:53
S124	0	(user operator) near3 (adjust\$4) near3 (distance) near3 window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:53
S125	898	(user operator) near3 (adjust\$4) near3 window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:53
S126	53	"382"/\$.ccls. and (user operator) near3 (adjust \$4) near3 window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:53
S127	32	"382"/\$.ccls. and (operator user) near3 plac \$4 near3 window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 20:07

S128	73	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (filter window kernel) near5 (width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 22:25
S129	110	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (filter window kernel) near5 (length height width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 22:40
S130	2	"20040146201".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 22:49
S131	38	382/141-152.ccls. and (edge near2 detect\$4) with (window kennel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 23:28
S132	0	382/154.ccls. and batterson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 01:56
S133	11	382/154.ccls. and patterson	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 01:57
S134	346	382/154.ccls. and (marker fiducial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 02:04
S135	3843	(max maximum) near2 (thickness width strength) near2 (calculat \$4 determin\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 12:41
S136	26	(max maximum) near2 (thickness width strength) near2 (edge) near2 (calculat\$4 determin\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 12:41
S137	2	"6021222".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 14:51

S138	2	"5251046".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 15:45
------	---	---------------	--	----	----	---------------------

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	0	(image and processing and edge and window and element and unit and detecting and width and direction and maximum and minimum and height and equal and scanning and calculating and obtaining and overlapping).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/01/06 12:48

1/ 6/ 2010 12:50:58 PM**C:\ Documents and Settings\ aliew\ My Documents\ EAST\ Workspaces\ 10689755.wsp**